

DRIP Beverages

Sample ID: 2507AFL1326.5517

Internal Lab ID: ATL-31212

Client

Strain: Mango Pineapple 10mg

Drip Beverages

Matrix: Ingestible

Lic. # 2025-R-2144730

Type: Beverage

Received: 07/29/2025

301 S Missouri Ave

Unit Weight: 10 g

Completed: 08/01/2025

Clearwater, FL 33756

Batch#: PMD10



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

07/29/2025

Complete

Basic Potency

Complete

0.09% Total THC	0.00% Total CBD	0.10% Total Cannabinoids
---------------------------	---------------------------	------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.00	ND	ND	CBN	0.00	ND	ND
CBDV	0.00	ND	ND	Δ 9-THC	0.00	0.09	9.2
CBDa	0.00	ND	ND	Δ 8-THC	0.00	ND	ND
CBGa	0.00	ND	ND	(6aR,9S)-d10-THC	0.00	ND	ND
CBG	0.00	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.00	0.00	0.3	CBC	0.00	ND	ND
THCV	0.00	ND	ND	CBCa	0.00	ND	ND
Δ 8-THCV	0.00	ND	ND	THCa	0.00	ND	ND
THCVa	0.00	ND	ND	Total		0.10	9.5


Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 07/29/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDa)

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Paulo Gonzalez
Laboratory Director
08/01/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.